

28, Queen's Garden, Near Old Circuit House, Pune-411 001. Tel. No. : 020-2634 3600/2633 3330 • E-mail : directorbarti@gmail.com • Website : https://barti.maharashtra.gov.in • Fax :020-2633 3596

BARTI/Photo Frame/ Preamble/2015-16

Dated: 02.11.2015

INVITATION OF QUOTATION FOR SUPPLY OF PHOTO FRAMES

Quotations are invited for supply of Photo frames of the Preamble of the Constitution of India, from the interested manufacturer/ supplier of Photo frames on their letter heads. Soft copy of the Preamble (to be framed) can be collected from BARTI, Pune. Quotation should be submitted to the **"Director General, Dr. Babasaheb Ambedkar Research & Training Institue (BARTI), 28 queens Garden, Camp, Pune-01.**

Last date of receipt of quotation: 8th November, 2015 at 03.00 p.m.

Date of opening of Quotation: 8th November, 2015 at 03.30 p.m.

Details available on website http//barti.maharashtra.gov.in>Notice Board >BARTI / Photo Frame/ Preamble / 2015-16

Director General, BARTI

INVITATION OF QUOTATION FOR SUPPLY OF PHOTO FRAMES

Quotation are invited for supply of Photo frames of the Preamble of the Constitution of India from the interested manufacturer/ supplier of Photo frames on their letter heads, on or before 8th November, 2015 by 03:00 p.m.. Quotation with duly quoted rates per Photo frame should be submitted to the "Director General, Dr. Babasaheb Ambedkar Research & Training Institute (BARTI), 28 queens Garden, Camp, Pune-01.

Date of opening of Quotation is 8th November, 2015 at 03.30 p.m.

Note: Quotation should be submitted in sealed envelope duly super scribed as "<u>QUOTATION</u> <u>FOR SUPPLY OF PHOTO FRAMES OF PREAMBLE"</u>

Requirements / Specification of Print and Photo Frames

1) Total Photo Frames required will be decided by BARTI. However the number of frames will be significant. Soft copy of the Preamble to the Constitution of India (to be framed) will be provided by BARTI, Pune.

2) Photo Frames are required in size of 22"x26"

3) Printed on brush finished silver metallic foil for border.

4) Preamble Text should be printed on 250 gsm pearl Metallic paper.

5) INK : MS based water-proof inks with certification.

6) Mounting on moisture resistant, high density 3 mm PVC sheet

7) The Mounting on moisture resistant, high density 3 mm PVC sheet should have of 45 degree bevel cut to form a window.

8) The mouldings have to be in polystyrene foam with hot selected foil stamping over it with a size of width 58 mm and height at the top 15 mm with slopes on both the sides.

9) Glass has to be 2 mm float cleaned properly with no dirt and finger marks.

10) Backing board has to be 3 mm high density moisture resistant PVC sheet.

11) All the frame corners have to be jointed first by loctite adhesive to give it more strength.

12) The frame corners should not have any gaps.

13) The glass and the print should be sealed with frame sealing tape of 18mm and 38 microns

14) V nails used for joining the frames have to be power lock type with 11 mm wide of italian make and not chinese make.

15) Flexi pins have to be italian make and not chinese.

16) Polyurethane self adhesive bumpers at the back should be of 12.7 mmx12.7mm x 3mm height to create space between the frames and wall to allow air circulation.

- 17) Hanging hooks to be galvanised.
- 18) The print should be pasted on 1800 microns acrylic based adhesive boards.
- 19) Kraft paper self adhesive tape for sealing the back of the picture frame of 376 mm.
- 20) Frames should have fluted board white faced corners for packaging

The required photo frames will have to be as per the specifications mentioned above. Photo Frame's specimen is kept in the office of BARTI, Pune and the interested manufacturer / supplier should see the specimen, before submitting the quotation. The interested manufacturer / supplier submitting the quotation should submit a specimen of Photo Frame before the opening of the quotation.